



Ghuffi
instrumentos 

DENTAL

ORTHODONTICS



GD-4453

125 mm, 5"

Hard wire cutter



- with tungsten carbide inserts
(can be sharpened/replaced)
- for cutting all orthodontic wires
- wires can be cut without deformation
- max. wire size: .022 x .028"
1235417

GD-4454

125 mm, 5"

Distal end cutter

- with tungsten carbide inserts
(can be sharpened/replaced)
- for intraoral cutting, with safety hold,
from wire size .014" upwards
- max. wire size: .021 x .025"
1235418




GD-4455

125 mm, 5"

Ligature cutter

- with tungsten carbide inserts
(can be sharpened/replaced)
 - fine cutting jaws and their 15° angular offset enable cutting close to the bracket
 - max. wire size: .014"
- 1235419



WEINGART
GD-4456

130 mm, 5 1/8"

Universal orthodontic pliers

- with tungsten carbide inserts (can be replaced)
- used as a retaining instrument and to insert archwires in the tube
- enables easy intraoral activation of archwires
- short jaws for better transmission of force

1235420


WEINGART
GD-4457

130 mm, 5 1/8"

Weingart delicate

- with tungsten carbide inserts (can be replaced)

1235421



TWEED


GD-4458

125 mm, 5"

Torque pliers

- with tungsten carbide inserts (can be replaced)
- for exact, sharp-edged bending thanks to sturdy tungsten carbide inserts
- max. wire size: .028"

1235422



1/4



1/2



GD-4459

135 mm, 5 1/4"

Loop forming pliers

- sturdy, rounded jaw part in size 2 and 2.5 mm (for the inner diameter of the loop)
- flat jaw part serrated for good fixation of the archwire
- sufficient room for the safe and torque-free formation of loops
- max. wire size: .019 x .025"

1235423



De La ROSA

GD-4460

125 mm, 5"

Arch bending pliers

- for forming the desired curvature
- the curved design of the jaws allows the curvature of the wires to be adjusted in small steps
- the spring-loaded handle opens the pliers automatically, which facilitates the work
- suitable for all orthodontic wires

1235424

NANCE


GD-4461

125 mm, 5"

Step loop bending pliers

- Steps of 3, 4, 5 and 6 mm enable exact, even bending, e. g. for utility arches

1235425



JARABAK
GD-4462
140 mm, 5 1/2"

Light wire pliers

- for shaping and closing loops
- with 3 holding grooves
- max. wire size .028"

1235426



ANGLE
GD-4463
125 mm, 5"

Bird beak pliers

- with tungsten carbide inserts (can be replaced)
- max. wire size .028"

1235427



ANGLE
GD-4464
125 mm, 5"

Bird beak pliers

- max. wire size .028"

1235428




ANGLE
GD-4465
125 mm, 5"

Wire bending pliers

- max. wire size .028"

1235429

lingually/ç



GD-4466

175 mm, 7"

Separating pliers

■ for applying separators

1235430

GD-4467

140 mm, 5 1/2"

Band remover

■ with tungsten carbide insert (can be replaced)

■ replaceable plastic tip

- to plug in (Art.no. DP744202)

- to screw (Art.no. DP744205)

1235431



1/4



1/4



1/2



1/2

GD-4468

125 mm, 5"

Combination clamp forceps

- straight
- mouth parts serrated
- for positioning brackets
- spindle on forceps end is used for adjusting the brackets.

1235432


GD-4469

125 mm, 5"

Combination clamp forceps

- angled
- mouth parts serrated
- particularly suitable for positioning brackets in the posterior teeth
- spindle on forceps end is used for adjusting the brackets

1235433



1/4



1/4



1/4



1/2

GD-4470

140 mm, 5 1/2"

Alastik holder (MATHIEU)

- with delicate, serrated mouth parts
- for applying rubber ligatures
- Spring enables single-handed use
- the single-step locking mechanism facilitates the work and makes it easier to remove the clamp from the patient.

1235434



1/2

HALSTED-MOSQUITO

GD-4471

125 mm, 5"

Forceps, straight

- mouth parts serrated
- for applying rubber ligatures

1235435



1/2

HALSTED-MOSQUITO

125 mm, 5" Forceps,
curved

1235435



1/4



1/4



1/4



1/4



1/4



1/4

GD-4472

175 mm, 7"

Scaler

- for removing adhesive and cement residues

1235436

SCHURE

GD-4473

160 mm, 7"

Scaler/Pusher

- for positioning and removing bands and for removing cement and adhesive residues

1235437

GD-4474

150 mm, 6"

Orthodontic probe

- short, strong tip
- among other things, suitable for removing ligatures and adjusting brackets

1235438



GD-4475

125 mm, 5"

Flat pliers

- mouth parts serrated
- with short mouth parts, for better transmission of force

1235439

GD-4476

140 mm, 5 1/2"

Flat pliers

- mouth parts serrated

1235440

GD-4477

140 mm, 5 1/2"

Flat pliers

- smooth mouth parts

1235441

GOSLEE

GD-4478

140 mm, 5 1/2"

Flat pliers

- one smooth mouth part, one serrated

1235442



**ADERER
GD-4479**
120 mm, 4 3/4"

- Three-finger pliers
- For use with hard wires and spring hard wires in the application of orthodontic appliances, quad-helix appliances, Nance appliances and many other appliances
 - max. wire size: 0,7 mm (.028")

1235443



**ADERER
GD-4480**
125 mm, 5"

- Three-finger pliers
- max. wire size: 0.9 mm (.036")

1235444