

Ghuffi  
instrumentos 

**DENTAL**

**DENTAL PROSTHETICS**



PLANERT

**GD-4393**

140 mm, 5 1/2"  
1235357



Designed to minimize the risk of dropping  
inlays and veneers.

**GD-4394**

**160 mm, 6 1/4"**  
**1235358**



**GD-4395**

A B

1235359-1	OB1	66 mm x 52 mm
1235359-2	OB2	71 mm x 62 mm
1235359-3	OB3	71 mm x 64 mm
1235359-4	OB4	80 mm x 70 mm



**GD-4396**

A B

1235360-1	OP1	62 mm x 50 mm
1235360-2	OP2	70 mm x 56 mm

JESCO-Form impression trays  
for edentulous upper jaws



**GD-4397**

A B

1235361-1	OU1	65 mm x 46 mm
1235361-2	OU2	68 mm x 53 mm
1235361-3	OU3	79 mm x 61 mm



**GD-4398**

	A	B
1235362-1	UB 1	69 mm x 54 mm
1235362-2	UB 2	73 mm x 58 mm
1235362-3	UB 3	79 mm x 64 mm
1235362-4	UB 4	80 mm x 71 mm



**GD-4399**

	A	B
1235363-1	UU 1	70 mm x 48 mm
1235363-2	UU 2	70 mm x 53 mm
1235363-3	UU 3	72 mm x 57 mm
1235363-4	UU 4	70 mm x 58 mm

JESCO-Form impression trays  
for partly toothed lower jaws



**GD-4400**

	A	B
1235364-1	UP 1	70 mm x 55 mm
1235364-2	UP 2	78 mm x 59 mm



**GD-4401**

Steel ruler, stainless,  
graduated in millimeters and  
inches,

150 mm (6") long

1235365



ZIELINSKY

**GD-4402**

Caliper

1235366



BEERENDONK

**GD-4403**

Caliper

1235367



**GD-4404**

Forceps for  
articulating paper

150 mm, 6"

1235368



BÜCHS

**GD-4405**

Applicator for retraction sutures

175 mm, 7"

1235369



**GD-4406**

Retraction thread packer, flexible

170 mm, 6 3/4"

1235370



**GD-4407**

130 x 80 mm

Mixing tablet, glass

5 x 3 1/4"

1235371



**GD-4408**  
150 mm, 6"  
1235372



**GD-4409**  
165 mm, 6 1/2"  
1235373



**GD-4410**  
especially flexible  
185 mm, 7 1/4"  
1235374



**GD-4411**  
180 mm, 7"  
1235375





**GD-4412**  
175 mm, 7°  
1235376



**GD-4413**  
180 mm, 7°  
1235377



**GD-4414**  
180 mm, 7°  
1235378




1235379

slender pattern

the diamond powder  
coated gripping surfaces  
ensure an especially  
firm grip

140 mm, 5 1/2"



BÖHM

GD-4415

Telescope pliers firmly grip the inner crown so that the outer one can be separated easily. To avoid damage to the crown in too stern a pressure, the set screw can be adjusted.

BÖHM	a	b	c	d
DP741P	3.3	4.0	2.3	3.0 mm



1235380-1



1235380-2



BEEBE

GD-4416

Crown scissors

110 mm, 4 3/8"



1235380-3

broad blades



1235380-4

1 blade serrated



1/2

PLANERT

GD-4417

Crown widening pliers, for  
removing crowns and bridges

140 mm, 5 1/2"  
1235381



1/2

FURRER

GD-4418

Copring, temporary measure  
and crown removing pliers

145 mm, 5 3/4"  
1235382



1/2

MERSHON

GD-4419

Crown depressor  
145 mm, 5 1/2"

1235383



TREYMANN

**GD-4420**

Crown remover  
255 mm, 10"



1235384-1

Handle only



1235384-2

Point, only



1235384-3

Point, only



1235384-4


Point, only



1/2



1/2



1/2



1/2



1/2

**JARABAK  
GD-4421**

140 mm, 5 3/4"

Light wire pliers

- for shaping and closing loops
- with 3 holding grooves
- max. wire size .028"

**1235385**



1/2

**ANGLE  
GD-4422**

125 mm, 5"

Bird beak pliers

- with tungsten carbide inserts (can be replaced)
- max. wire size .028"

**1235386**



1/2

**ANGLE  
GD-4423**

125 mm, 5"

Bird beak pliers

- max. wire size .028"

**1235387**



1/2

**ANGLE  
GD-4424**

125 mm, 5"

Wire bending pliers

- max. wire size .028"

**1235388**



**GD-4425**

125 mm, 5"

Flat pliers

- mouth parts serrated
  - with short mout parts,  
for better transmission of force
- 1235389**



**GD-4426**

140 mm, 5 1/2"

Flat pliers

- mouth parts  
serrated
- 1235390**



**GD-4427**

140 mm, 5 1/2"

Flat pliers

- smooth mouth  
parts
- 1235391**



GOSLEE

**GD-4428**

140 mm, 5 1/2"

Flat pliers

- one smooth mouth  
part, one serrated
- 1235392**



ADERER  
GD-4429  
120 mm, 4<sup>3</sup>/<sub>4</sub>"  
Three-finger  
pliers  
1235393

- For use with hard wires and spring hard wires in the application of orthodontic appliances, quad-helix appliances, Nance appliances and many other appliances
- max. wire size: 0,7 mm (.028")



ADERER  
GD-4430  
125 mm, 5"  
Three-finger pliers  
1235394

- max. wire size: 0.9 mm (.036")





**GD-4431**  
140 mm, 5 1/2"  
Round pliers  
■ delicate pattern  
1235395

**GD-4432**  
140 mm, 5 1/2"  
Round pliers  
1235396

**ANDERSEN**  
**GD-4433**  
130 mm, 5 1/8"  
Round-nosed pliers  
■ for bending loops  
■ max. wire size:  
1.0 mm (.040")  
1235397



**PEESO**

**GD-4434**

Wire bending pliers

135 mm, 5 1/4"

**1235398**



**GD-4435**

Wire bending pliers

125 mm, 5"

**1235399**



**GD-4436**

Wire bending pliers

135 mm, 5 1/4"

**1235400**



1235401-1

140 mm, 5 1/2°

1235401-2

145 mm, 5 3/4°

1235401-3

140 mm, 5 1/2°

**GD-4437**



Wire bending pliers  
serrated jaws



for wire up to  
0.7 mm diam.

1.0 mm diam.

**ANDRESEN**

**GD-4438**

Wire bending pliers  
for bending loops  
130 mm, 5 1/4°  
1235402



for wire up to  
0.5 mm diam.

0.7 mm diam.

**SCHWARZ**

**GD-4439**

Wire bending pliers  
for bending loops  
135 mm, 5 1/4°  
1235403



**KÖHLER**

**GD-4440**

120 mm, 4<sup>3</sup>/<sub>4</sub>"

Triangular bending clamp pliers

- for fast and exact bending of arrow-head clasps
- max. wire size: 0.7 mm (.028")

1235404



**YOUNG**

**GD-4441**

140 mm, 5<sup>1</sup>/<sub>2</sub>"

Loop bending pliers

- for loops of any dimension
- particularly suitable for labial bows
- max. wire size: 0.7 mm (.028") springy

1235405



**GD-4442**

140 mm, 5<sup>1</sup>/<sub>2</sub>"

Loop bending pliers

- max. wire size: 1.0mm (.040") springy

1235406



**GD-4443**

Pin- and wire cutters  
for soft wire up to diam 1.5 mm, for hard wire up to diam 1.0 mm  
150 mm, 6"  
**1235407**



**GD-4444**

Pin- and wire cutters  
for soft wire up to diam 1.5 mm, for hard wire up to diam 1.2 mm  
160 mm, 6 1/4"  
**1235408**



## GD-4445

Wire scissors, 1 blade serrated  
for soft wire up to diam. 1.2 mm,  
for hard wire up to diam. 0.6 mm

120 mm, 4 3/4"

1235409



## GD-4446

Wire scissors, 1 blade serrated  
for soft wire up to diam. 1.2 mm,  
for hard wire up to diam. 0.8 mm

120 mm, 4 3/4"

1235410

jaws with  
tungsten carbide inserts



**GD-4447**

Wire cutter

for soft wire up to diam 1.5 mm,  
for hard wire up to diam 1.0 mm

145 mm, 5 3/4"

**1235411**



**GD-4448**

Wire cutter

for soft wire up to diam. 1.5 mm,  
for hard wire up to diam. 1.0 mm

140 mm, 5 1/2"

**1235412**



ANGLE

**GD-4449**

Wire cutter

for soft wire up to 0.5 mm,  
for hard wire up to 0.3 mm

130 mm, 5 1/8"

**1235413**



ANGLE

**GD-4450**

Wire cutter

for soft wire up to 0.6 mm,  
for hard wire up to 0.4 mm

130 mm, 5 1/8"

**1235414**



REILL

**GD-4451**

Wire cutter  
for soft wire up to diam. 2.0 mm  
for hard wire up to diam 1.5 mm

175 mm, 7"

1235415



**GD-4452**

Wire cutter  
for soft wire up to diam. 3.0 mm  
for hard wire up to diam 2.2 mm

235 mm, 9  $\frac{1}{4}$ "

1235416